

## 6. Anhang

### 6.1. Abkürzungsverzeichnis

ALL	Akute lymphatische Leukämie
AML	Akute myeloische Leukämie
ANZ	Absolute Neutrophilenzahl
APC	Antigenpräsentierende Zelle
ATG	anti-Thymozytenglobulin
BDA	Blackfan Diamond Anämie
Bu	Busulfan
Cyc	Cyclophosphamid
CD	Cluster of Differentiation, Zelloberflächenantigen
CML	Chronische myeloische Leukämie
CMV	Zytomegalie-Virus
CR	Komplette Remission
CTL	Zytotoxischer T-Lymphozyt
ELISA	Enzyme-Linked-Immunosorbent-Assay
FACS	Fluorescence-activated Cell Sorting (= Fluoreszenz-aktivierte Zelltrennung)
FTBI	Fractionated Total Body Irradiation (= Fraktionierte Ganzkörperbestrahlung)
G-CSF	Granulocyte-Colony Stimulating Factor
aGVHD	Akute Graft-versus-Host Erkrankung
cGVHD	Chronische Graft-versus-Host Erkrankung
GVL-Effekt	Graft-versus-Leukemia-Effekt
Haplo (HI)	Haploident
HLA	Humanes Leukozyten Antigen
IFN	Interferon
IL	Interleukin
IZF	Intrazelluläre Zytokinfärbung

KG	Körpergewicht
KMT	Knochenmarktransplantation
L-Glu	L-Glutamin
MACS	Magnet-aktivierte Zelltrennung
MHC	Major Histocompatibility Complex
MNZ	Mononukleäre Zellen
NK	Natürliche Killerzellen
OP	Osteopetrose
PBS	Phosphate Buffered Saline
alloPBSZT	allogene Stammzelltransplantation mit peripherem Blut
PCA	Polycythaemia vera rubra
PFA	Paraformaldehyd
PMA	Phorbol-12-Myristat-13-Acetat
PMNZ	Periphere mononukleäre Zellen
PR	Partielle Remission
RT	Raumtemperatur
SAA	Schwere aplastische Anämie
SCID	Schwerer kombinierter Immundefekt
SZT	Stammzelltransplantation
TZR	T-Zell-Rezeptor
TC-Zelle	zytotoxische T-Zelle
TH-Zelle	T-Helfer-Zelle
TNF	Tumor-Nekrose-Faktor
TT	Thiotepa
UD	Unrelated Donor (= Fremdspender)
VP-16	Etoposid
WAS	Wiskott-Aldrich-Syndrom
XALD	X-Linked Adrenoleukodystrophie

## 6.2. Tabellenverzeichnis

<b>Tabelle 1:</b>	Patientencharakteristika
<b>Tabelle 2:</b>	Unterschiede in der Versuchsdurchführung der ELISA
<b>Tabelle 3:</b>	Regeneration der CD3 <sub>ges</sub> , CD4 <sup>+</sup> und CD8 <sup>+</sup> Zellen. Kovarianzanalyse
<b>Tabelle 4:</b>	Regeneration der CD4 <sup>+</sup> und CD8 <sup>+</sup> T-Zellen nach UD- und Haplo-SZT im Vergleich
<b>Tabelle 5:</b>	Vergleich der Expression von CD28, CD62L, HLA-DR, TCR $\alpha\beta$ , TCR $\gamma\delta$ auf CD3 <sup>+</sup> T-Zellen nach UD- und Haplo-SZT
<b>Tabelle 6:</b>	Konzentrationsstufen der Stimulanzen
<b>Tabelle 7:</b>	Gruppeneinteilung der Patientenproben nach Anteil an CD4 <sup>+</sup> CD45RA <sup>+</sup> Zellen
<b>Tabelle 8:</b>	Regressionsanalyse für IL-2 und IFN- $\gamma$ in Abhängigkeit vom Anteil an CD4 <sup>+</sup> CD45RA <sup>+</sup> Zellen
<b>Tabelle 9:</b>	Kinetik der Zytokinproduktion bei gesunden Kontrollzellen
<b>Tabelle 10:</b>	Regressionsanalyse der CD69-Expression in Abhängigkeit vom Anteil an CD4 <sup>+</sup> CD45RA <sup>+</sup> Zellen
<b>Tabelle 11:</b>	Zytokinproduktion der CD4 <sup>+</sup> und CD8 <sup>+</sup> Lymphozyten
<b>Tabelle 12:</b>	Kovarianzanalyse der relativen Zytokinkonzentration in Abhängigkeit vom Anteil an CD4 <sup>+</sup> CD45RA <sup>+</sup> Zellen
<b>Tabelle 13:</b>	Zellzahlen des Patienten im Verlauf der Immunrekonstitution

### 6.3. Abbildungsverzeichnis

- Abbildung 1:** Regeneration von CD16<sup>+</sup>56<sup>+</sup> und CD19<sup>+</sup> Zellen
- Abbildung 2:** CD3, CD4 und CD8-Regeneration nach Haplo- und UD-SZT
- Abbildung 3:** Beispiel für den CD45RA/RO-Shift im Verlauf der Regeneration nach SZT
- Abbildung 4:** Zytokinproduktion bei steigendem Anteil CD4<sup>+</sup>CD45RA<sup>+</sup> Zellen
- Abbildung 5:** IL-2- und IFN- $\gamma$ -Konzentration in Abhängigkeit vom Anteil CD4<sup>+</sup>CD45RA<sup>+</sup> Zellen
- Abbildung 6:** Zeitlicher Verlauf der Zytokinproduktion
- Abbildung 7:** Vergleich der T-Zellaktivierung zwischen Kontrolle und Patienten
- Abbildung 8:** Abhängigkeit der CD69-Expression vom Anteil CD4<sup>+</sup>CD45RA<sup>+</sup> Zellen
- Abbildung 9:** IL-2-, IFN- $\gamma$ -, IL-4- und IL-10-produzierende T-Zellen mit CD4/CD8-Verhältnis
- Abbildung 10:** Expression der Oberflächenmoleküle CD45RA, CD45RO auf TH1-Zellen
- Abbildung 11:** Relative Zytokinkonzentration in Abhängigkeit vom Anteil CD4<sup>+</sup>CD45RA<sup>+</sup> Zellen
- Abbildung 12:** Exemplarischer Verlauf der Zytokinproduktion nach SZT
- Abbildung 13:** FACS-Analysen zur T-Zell-Aktivierung
- Abbildung 14:** FACS-Analysen zur IL-2-Produktion
- Abbildung 15:** FACS-Analysen zur IFN- $\gamma$ -Produktion
- Abbildung 16:** FACS-Analysen mit IL-2-/IFN- $\gamma$ -Doppelfärbungen
- Abbildung 17:** FACS-Analysen zur TH2/TC2-Zytokin-Produktion

## 6.4. Literaturverzeichnis

1. Abu-Ghosh, A., Goldman, S., Slone, V., van de Ven, C., Suen, Y., Murphy, L., Sender, L., Cairo, M.S., (1999)  
Immunological reconstitution and correlation of circulating serum inflammatory mediators/cytokines with the incidence of acute graft-versus-host disease during the first 100 days following unrelated umbilical cord blood transplantation  
*Bone Marrow Transplant.* 24, 535-544
2. Akbar, A.N., Salmon, M., Janossy, G., (1991)  
The synergy between naive and memory T cells during activation  
*Immunol. Today* 12, 184-188
3. Anasetti, C., Amos, D., Beatty, P., Appelbaum, F.R., Bensinger, W., Buckner, D., Clift, R., Doney, K., Martin, P.J., Mickelson, E., Nisperos, B., O'Quigley, J., Ramberg, R., Sanders, J.E., Stewart, P., Storb, R., Sullivan, K.M., Witherspoon, R.P., Thomas, E.D., Hansen, J.A., (1989)  
Effect of HLA compatibility on engraftment of bone marrow transplants in patients with leukemia or lymphoma  
*N. Engl. J. Med.* 320, 197-204
4. Annunziato, F., Manetti, R., Cosmi, L., Galli, G., Heusser, C.H., Romagnani, S., Maggi, E., (1997)  
Opposite role for interleukin-4 and interferon- $\gamma$  on CD30 and lymphocyte activation gene-3 (LAG-3) expression by activated naive T cells  
*Eur. J. Immunol.* 27, 2239-2244
5. Antin, J.H., Ferrara, J.L.M. (1992)  
Cytokine Dysregulation and acute Graft-versus-Host-Disease  
*Blood* 80, 2964-2968
6. Apasov, S., Redegeld, F., Sitkovsky, M., (1993)  
Cell-mediated cytotoxicity: contact and secreted factors  
*Curr. Opin. Immunol.* 5, 404-410
7. Aversa, F., Tabilio, A., Terenzi, A., Velardi, A., Falzetti, F., Giannoni, C., Iacucci, R., Zei, T., Martelli, M.P., Gambelunghe, C., Rossetti, M., Caputo, P., Latini, P., Aristei, C., Raymond, C., Reisner, Y., Martelli, M.F., (1994)  
Successful engraftment of T-cell-depleted haploidentical „three-loci“ incompatible transplants in leukemia patients by addition of recombinant human granulocyte colony-stimulating-factor mobilized peripheral blood progenitor cells to bone marrow inoculum  
*Blood* 84, 3948-3955
8. Aversa, F., Tabilio, A., Velardi, A., Cunningham, I., Terenzi, A., Falzetti, F., Ruggeri, L., Barbabietola, G., Aristei, C., Latini, P., Reisner, Y., Martelli, M.F., (1998)

- Treatment of high-risk acute leukemia with T-cell-depleted stem cells from related donors with one fully mismatched HLA haplotype  
N. Engl. J. Med. 339, 1186-1193
9. Azuma, M., Cayabyab, M., Buck, D., Phillips, J.H., Lanier, L.L., (1992)  
CD28 interaction with B7 costimulates primary allogeneic proliferative responses and cytotoxicity mediated by small, resting T lymphocytes  
J. Exp. Med. 175, 353-360
10. Beelen, D.W., Ottinger, H.D., Elmaagacli, A., Scheulen, B., Basu, O., Kremens, B., Havers, W., Grosse-Wilde, H., Schaefer, U.W., (1997)  
Transplantation of filgrastim-mobilized peripheral blood stem cells from HLA-identical sibling or alternative family donors in patients with hematologic malignancies: a prospective comparison on clinical outcome, immune reconstitution, and hematopoietic chimerism  
Blood 90, 4725-4735
11. Behringer, D., Bertz, H., Schmoor, C., Berger, C., Dwenger, A., Finke, J., (1999)  
Quantitative lymphocyte subset reconstitution after allogeneic hematopoietic transplantation from matched related donors with CD34<sup>+</sup> selected PBPC grafts, unselected PBPC grafts or BM grafts  
Bone Marrow Transplant. 24, 295-302
12. Burmester, G.-R., Pezzutto, A., (1998): T-Lymphozyten: Entwicklung und Differenzierung, S. 18, in Burmester, G.-R., Pezzutto, A.: Taschenatlas der Immunologie
13. Burmester, G.-R., Pezzutto, A., (1998): Zellinteraktionen, S. 34-36, in Burmester, G.-R., Pezzutto, A.: Taschenatlas der Immunologie
14. Burmester, G.-R., Pezzutto, A., (1998): Genomische Organisation des HLA-Komplexes, S. 44, in Burmester, G.-R., Pezzutto, A.: Taschenatlas der Immunologie
15. Burmester, G.-R., Pezzutto, A., (1998): Transplantationsimmunologie, S. 148, in Burmester, G.-R., Pezzutto, A.: Taschenatlas der Immunologie
16. Buckley, R.H., Schiff, S.E., Schiff, R.I., Markert, M.L., Williams, L.W., Roberts, J.L., Myers, L.A., Ward, F.E., (1999)  
Hematopoietic stem-cell transplantation for the treatment of severe combined immunodeficiency  
N. Engl. J. Med. 340, 508-516
17. Chalmers, I.M.H., Janossy, G., Contreras, M., Navarrete, C., (1998)  
Intracellular cytokine profile of cord and adult blood lymphocytes  
Blood 92, 11-18

18. Champlin, R.E., (1996)  
Peripheral blood progenitor cells: a replacement for marrow transplantation?  
*Semin. Oncol.* 23, Suppl 4, 15-21
19. Chipeta, J., Komada, Y., Zhang, X.-L., Deguchi, T., Sugiyama, K., Azuma, E., Sakurai, M., (1998)  
CD4<sup>+</sup> and CD8<sup>+</sup> cell cytokine profiles in neonates, older children, and adults: increasing T helper type 1 and T cytotoxic type 1 cell populations with age  
*Cell. Immunol.* 183, 149-156
20. Chipeta, J., Komada, Y., Zhang, X.-L., Sakurai, M., Azuma, E., (1999)  
Intracellular cytokine profiles of cord and adult blood lymphocytes  
*Blood* 93, 1120-1122
21. Conlon, K., Osborne, J., Morimoto, C., Ortaldo, J.R., Young, H.A., (1995)  
Comparison of lymphokine secretion and mRNA expression in the CD45RA<sup>+</sup> and CD45RO<sup>+</sup> subsets of human peripheral blood CD4<sup>+</sup> and CD8<sup>+</sup> lymphocytes  
*Eur. J. Immunol.* 25, 644-648
22. Cutler, C., Antin, J.H., (2001)  
Peripheral blood stem cells for allogeneic transplantation: a review  
*Stem Cells* 19, 108-117
23. Davies, S.M., Ruggieri, L., DeFor, T., Wagner, J.E., Weisdorf, D.J., Miller, J.S., Velaridi, A., Blazar, B.R., (2002)  
Evaluation of KIR ligand incompatibility in mismatches unrelated donor hematopoietic transplants  
*Blood* 15, 3825-3827
24. Delespesse, G., Yang, L.P., Ohshima, Y., Demeure, C., Shu, U., Byun, D.G., Sarfati, M., (1998)  
Maturation of human neonatal CD4<sup>+</sup> and CD8<sup>+</sup> T lymphocytes into Th1/Th2 effectors  
*Vaccine* 16, 1415-1419
25. DiPersio, J.F., Khoury, H., Haug, J., Vij, R., Adkins, D.R., Goodnough, L.T., Brown, R.A., (2000)  
Innovations in allogeneic stem-cell transplantation  
*Semin. Hematol.* 37 (suppl 2), 33-41
26. Elson, L.H., Nutman, T.B., Metcalfe, D.D., Prussin, C., (1995)  
Flow cytometric analysis for cytokine production identifies T helper 1, T helper 2, and T helper 0 cells within the human CD4<sup>+</sup>CD27<sup>-</sup> lymphocyte subpopulation  
*J. Immunol.* 154, 4294-4301

27. Eyrich, M., Lang, P., Lal, S., Bader, P., Handgretinger, R., Schlegel, P.G., (2001)  
A prospective analysis of the pattern of immune reconstitution following transplantation of positively selected human leucocyte haematopoietic stem cells from parental donors  
Br. J. Haematol. 114, 422-432
28. Eyrich, M., Wollny, G., Tzaribashev, N., Brügger, D., Mascher, B., Schilbach, K., Bader, P., Lang, P., Greil, J., Scheel-Walter, H., Dietz, K., Niethammer, D. and Schlegel, PG. (2003)  
Factors influencing thymic function after stem cell transplantation  
Blood 102, supplement 1 [abstract # 3505]
29. Ferrara, J.L.M., Cooke, K.R., Pan, L., Krenger, W., (1996)  
Review: The immunopathophysiology of acute graft-versus-host-disease  
Stem cells 14, 473-489
30. Firestein, G.S., Roeder, W.D., Laxer, J.A., Townsend, K.S., Weaver, C.T., Hom, J.T., Linton, J., Torbett, B.E., Glasebrook, A.L., (1989)  
A new murine CD4<sup>+</sup> T cell subset with an unrestricted cytokine profile  
J. Immunol. 143, 518-525
31. Foot, A.B.M., Potter, M.N., Donaldson, C., Cornish, J.M., Wallington, T.B., Oakhill, A., Pamphilon, D.H., (1993)  
Immune reconstitution after BMT in children  
Bone Marrow Transplant. 11, 7-13
32. Fowler, D.H., Gress, R.E., (1998)  
CD8<sup>+</sup> T cells of Tc2 phenotype mediate a GVL effect and prevent marrow rejection  
Vox Sang. 74 (Suppl. 2), 331-340
33. Franzke, A., Piao, W., Lauber, J., Gatzlaff, P., Konecke, C., Hansen, W., Schmitt-Thomsen, A., Hertenstein, B., Buer, J., Ganser, A., (2003)  
G-CSF as immune regulator in T cells expressing the G-CSF receptor: implications for transplantation and autoimmune diseases  
Blood 102, 734-739
34. Fujii, Y., Okumura, M., Inada, K., Nakahara, K., (1992)  
Reversal of CD45R isoform switching in CD8<sup>+</sup> T cells  
Cellular Immunology 139, 176-184
35. Glass, B., Uharek, L., Zeis, M., Dreger, P., Löffler, H., Steinmann, J., Schmitz, N., (1997)  
Allogeneic peripheral blood progenitor cell transplantation in a murine model: evidence for an improved graft-versus-leukemia effect  
Blood 90, 1694-1700



36. Gross, T.G., Steinbuch, M., DeFor, T., Shapiro, R.S., McGlave, P., Ramsay, N.K.C., Wagner, J.E., Filipovich, A.H., (1999)  
B cell lymphoproliferative disorders following hematopoietic stem cell transplantation: risk factors, treatment and outcome  
Bone Marrow Transplant. 23, 251-258
37. Guillaume, T., Sekhavat, M., Rubinstein, D.B., Hamdan, O., Leblanc, P., Symann, M.L., (1994)  
Defective cytokine production following autologous stem cell transplantation for solid tumors and hematologic malignancies regardless of bone marrow or peripheral origin and lack of evidence for a role for interleukin-10 in delayed immune reconstitution  
Cancer research 54, 3800-3807
38. Guinan, E.C., Boussiotis, V.A., Neuberg, D., LaVita Brennan, L., Hirano, N., Nadler, L.M., Gribben, J.G., (1999)  
Transplantation of anergic histoincompatible bone marrow allografts  
N. Engl. J. Med. 340, 1704-1714
39. Hamann, D., Baars, P.A., Rep, M.H.G., Hooibrink, B., Kerhof-Garde, S.R., Klein, M.R., van Lier, R.A.W., (1997)  
Phenotypic and functional separation of memory and effector human CD8<sup>+</sup> T cells  
J. Exp. Med. 186, 1407-1418
40. Handgretinger, R., Lang, P., Schumm, M., Taylor, G., Neu, S., Koscielna, E., Niethammer, D., Klingebiel, T., (1998)  
Isolation and transplantation of autologous peripheral CD34<sup>+</sup> progenitor cells highly purified by magnetic-activated cell sorting  
Bone Marrow Transplant. 21, 987-993
41. Hanenberg, H., Dilloo, D., Laws, H.J., Zessack, N., Heyll, A., Burdach, S., (1995)  
Time course of interferon-gamma production deficiency after autologous and allogeneic stem cell transplantation for malignancies  
Exp. Hematol 23, 1543-1552
42. Hannel, I., Erkeller-Yuksel, F., Lydyard, P., Deneys, V., DeBruyère, M., (1992)  
Developmental and maturational changes in human blood lymphocyte subpopulations  
Immunol. Today 13, 215-218
43. Heitger, A., Greinix, H., Mannhalter, C., Mayerl, D., Kern, H., Eder, J., Fink, F.-M., Niederwieser, D., Panzer-Grümayer, E.-R., (2000)  
Requirement of residual thymus to restore normal T-cell subsets after human allogeneic bone marrow transplantation  
Transplantation 69, 2238-2239
44. Heitger, A., Kern, H., Mayerl, D., Maurer, K., Nachbaur, D., Frühwirth, M., Fink, F.-M., Niederwieser, D., (1999)

- Effective T cell regeneration following high-dose chemotherapy rescued with CD34<sup>+</sup> cell enriched peripheral blood progenitor cells in children  
Bone Marrow Transplant. 23, 347-353
45. Heitger, A., Neu, N., Kern, H., Panzer-Grümayer, E.-R., Greinix, H., Nachbaur, D., Niederwieser, D., Fink, F.M., (1997)  
Essential role of the thymus to reconstitute naive (CD45RA<sup>+</sup>) T-helper cells after human allogeneic bone marrow transplantation  
Blood 90, 850-857
46. Heitger, A., Winklehner, P., Obexer, P., Eder, J., Zelle-Rieser, C., Kropshofer, G., Thurnher, M., Holler, W., (2002)  
Defective T-helper cell function after T-cell-depleting therapy affecting naive and memory populations  
Blood 99, 4053-4062
47. Hirayama, M., Azuma, E., Jiang, Q., Korayashi, M., Iwamoto, S., Kumamoto, T., Kisenge, R., Yamamoto, H., Komada, Y., (2000)  
The reconstitution of CD45RB<sup>hi</sup>CD4<sup>+</sup> naive T cells is inversely correlated with donor age in murine allogeneic haematopoietic stem cell transplantation  
Br. J. Haematol. 111, 700-707
48. Janeway, C. A., Travers, P., Walport, M., Capra, J.D., (1999):  
Cytokines can act locally or at a distance, S. 288-291, in Janeway, C. A., Travers, P., Walport, M., Capra, J.D.: Immunobiology
49. Jung, T., Schauer, U., Heusser, C., Neumann, C., Rieger, C., (1993)  
Detection of intracellular cytokines by flow cytometry  
J. Immunol. Methods 159, 197-207
50. Jung, T., Schauer, U., Rieger, C., Wagner, K., Einsle, K., Neumann, C., Heusser, C., (1995)  
Interleukin-4 and interleukin-5 are rarely co-expressed by human T cells  
Eur. J. Immunol. 25, 2413-2416
51. Kabelitz, D.,  
 $\gamma\delta$ -T-Lymphozyten bei der Immunabwehr  
Target Forum, 30-36
52. Kawano, Y., Takaue, Y., Watanabe, A., Takeda, O., Arai, K., Itoh, E., Ohno, Y., Teshima, T., Harada, M., Watanabe, T., Okamoto, Y., Abe, T., Kajiume, T., Matsushita, T., Ikeda, K., Endo, M., Kuroda, Y., Asano, S., Tanosaki, R., Yamaguchi, K., Law, P., McMannis, J.D., (1998)  
Partially mismatched pediatric transplants with allogeneic CD34<sup>+</sup> blood cells from a related donor  
Blood 92, 3123-3130

53. Körbling, M., Anderlini, P., (2001)  
Peripheral blood stem cell versus bone marrow allotransplantation: does the source of hematopoietic stem cells matter?  
Blood 98, 2900-2908, Review
54. Körholz, D., Hempel, L., Packeisen, J., Kunst, D., Zintl, F., Burdach, S., (1996)  
Die Bedeutung des Interleukin 10 für die akute Graft versus Host Erkrankung bei Kindern und Jugendlichen nach allogener Knochenmarktransplantation  
Klin. Pädiatr. 208, 141-144
55. Körholz, D., Kunst, D., Hempel, L., Söhngen, D., Heyll, A., Bönig, H., Göbel, U., Zintl, F., Burdach, S., (1997)  
Decreased interleukin 10 and increased interferon- $\gamma$  production in patients with chronic graft-versus-host disease alter allogeneic bone marrow transplantation  
Bone Marrow Transplant. 19, 691-695
56. Kramm, C.M., Kameda, G., Bader, P., Dilloo, D., (2003)  
Immuntherapeutische Behandlung therapierefraktärer und rezidivierter akuter lymphatischer Leukämien im Kindes- und Jugendalter  
Monatsschr. Kinderheilkd 151, 154-165
57. Krampera, M., Tavecchia, L., Benedetti, F., Nadali, G., Pizzolo, G., (2000)  
Intracellular cytokine profile of cord blood T-, and NK-cells and monocytes  
Haematologica 85, 675-679
58. Lanier, L.L., Buck, D.W., Rhodes, L., Ding, A., Evans, E., Barney, C., Phillips, J.H., (1988)  
Interleukin 2 activation of natural killer cells rapidly induces the expression and phosphorylation of the Leu-23 activation antigen  
J. Exp. Med. 167, 1572-1585
59. Ljungman, P., Ribaud, P., Eyrich, M., Matthes-Martin, S., Einsele, H., Bleakley, M., Machaczka, M., Bierings, M., Bosi, A., Gratecos, N., Cordonnier, C., (2003)  
Cidofovir for adenovirus infections after allogeneic hematopoietic stem cell transplantation: a survey by the Infectious Diseases Working Party of the European Group for Blood and Marrow Transplantation.  
Bone Marrow Transplant. 31, 481-486
60. Lowdell, M.W., Craston, R., Ray, N., Koh, M., Galatowicz, G., Prentice, H.G., (1998)  
The effect of T cell depletion with Campath-1M on immune reconstitution after chemotherapy and allogeneic bone marrow transplant as treatment for leukaemia  
Bone Marrow Transplant. 21, 679-686

61. Lum, L.G., (1987)  
Review: The kinetics of immune reconstitution after human marrow transplantation  
*Blood* 69, 369-380
62. Mackall, C.L., Fleisher, T.A., Brown, M.R., Andrich, M.P., Chen, C.C., Feuerstein, I.M., Magrath, I.T., Wexler, L.H., Dimitrov, D.S., Gress, R.E., (1997)  
Distinctions between CD8<sup>+</sup> and CD4<sup>+</sup> T-cell regenerative pathways result in prolonged T-cell subset imbalance after intensive chemotherapy  
*Blood* 89, 3700-3707
63. Mackall, C.L., Hakim, F.T., Gress, R.E., (1997)  
T-cell regeneration: all repertoires are not created equal  
*Immunol. Today* 18, 245-251
64. Maino, V., Picker, L.J., (1998)  
Identification of functional subsets by flow cytometry: intracellular detection of cytokine expression  
*Cytometry* 34, 208-215
65. Martínez, C., Urbano-Ispizua, A., Rozman, C., Marín, P., Rovira, M., Sierra, J., Montfort, N., Carreras, E., Montserrat, E., (1999)  
Immune reconstitution following allogeneic peripheral blood progenitor cell transplantation: comparison of recipients of positive CD34<sup>+</sup> selected grafts with recipients of unmanipulated grafts  
*Experimental Hematology* 27, 561-568
66. Martin, P.J., Ledbetter, J.A., Morishita, Y., June, C.H., Beatty, P.G., Hansen, J.A. (1986)  
A 44 kilodalton cell surface homodimer regulates interleukin 2 production by activated human T lymphocytes  
*J. Immunol.* 136, 3282-3286
67. Mascher, B., Schlenke, P., Seyfarth, M., (1999)  
Expression and kinetics of cytokines determined by intracellular staining using flow cytometry  
*J. Immunol. Methods* 223, 115-121
68. Matsuda, Y., Hara, J., Osugi, Y., Fujisaki, H., Takai, K., Ohta, H., Nakanishi, K., Tokimasa, S., Miyoshi, H., Tanaka-Taya, K., Yamanishi, K., Okada, S., (1998)  
Allogeneic peripheral stem cell transplantation using positively selected CD34<sup>+</sup> cells from HLA-mismatched donors  
*Bone Marrow Transplant.* 21, 355-360
69. Morecki, S., Gelfand, Y., Nagler, A., Or, R., Naparstek, E., Varadi, G., Engelhard, D., Akerstein, A., Slavin, S., (2001)

Immune reconstitution following allogeneic stem cell transplantation in recipients conditioned by low intensity vs myeloablative regimen  
Bone Marrow Transplant. 28, 243-249

70. Mosmann, T.R., Cherwinski, H., Bond, M.W., Giedlin, M.A., Coffman, R.L., (1985)  
Two types of murine helper T cell clone  
J. Immunol. 136, 2348-2357

71. Müller, S.M., Kohn, T., Schulz, A.S., Debatin, K.-M., Friedrich, W., (2000)  
Similar pattern of thymic-dependent T-cell reconstitution in infants with severe combined immunodeficiency after human leukocyte antigen (HLA)-identical and HLA-nonidentical stem cell transplantation  
Blood 96, 4344-4349

72. Murphy, W.J., Longo, D.L., (1997)  
The potential role of NK cells in the separation of graft-versus-tumor effects from graft-versus-host disease after allogeneic bone marrow transplantation  
Immunol. Rev. 157, 167-176

73. Nachbaur, D., Kropshofer, G., Heitger, A., Lätzer, K., Glassl, H., Ludescher, C., Nussbaumer, W., Niederwieser, D., (2000)  
Phenotypic and functional lymphocyte recovery after CD34+-enriched versus non-T cell-depleted autologous peripheral blood stem cell transplantation  
J. Hematother. Stem Cell Res 9, 727-736

74. Nakamura, T., Kamogawa, Y., Bottomly, K., Flavell, R.A., (1997)  
Polarization of IL-4- and IFN- $\gamma$ -producing CD4<sup>+</sup> T cells following activation of naive CD4<sup>+</sup> T cells  
J. Immunol. 158, 1085-1094

75. Okumura, M., Fujii, Y., Inada, K., Nakahara, K., Matsuda, H., (1993)  
Both CD45RA<sup>+</sup> and CD45RA<sup>-</sup> subpopulations of CD8<sup>+</sup> T cells contain cells with high levels of lymphocyte function-associated antigen-1 expression, a phenotype of primed T cells  
J. Immunol. 150, 429-437

76. Openshaw, P., Murphy, E.E., Hosken, N.A., Maino, V., Davis, K., Murphy, K., O'Garra, A., (1995)  
Heterogeneity of intracellular cytokine synthesis at the single-cell level in polarized T helper 1 and T helper 2 populations  
J. Exp. Med. 182, 1357-1367

77. Ottinger, H.D., Beelen, D.W., Scheulen, B., Schaefer, U.W., Grosse-Wilde, H., (1996)  
Improved immune reconstitution after allotransplantation of peripheral blood stem cells instead of bone marrow  
Blood 88, 2775-2779
78. Paliard, X., De Waal Malefijt, R., Yssel, H., Blanchard, D., Chrétien, I., Abrams, J., De Vries, J., Spits, H., (1988)  
Simultaneous production of IL-2, IL-4, and IFN- $\gamma$  by activated human CD4<sup>+</sup> and CD8<sup>+</sup> T cell clones  
J. Immunol. 141, 849-855
79. Patel, D.D., Gooding, M.E., Parrott, R.E., Curtis, K.M., Haynes, B.F., Buckley, R.H., (2000)  
Thymic function after hematopoietic stem-cell transplantation for the treatment of severe combined immunodeficiency  
N. Engl. J. Med. 342, 1325-1332
80. Pavletic, Z.S., Bishop, M.R., Tarantolo, S.R., Martin-Algarra, S., Bierman, P.J., Vose, J.M., Reed, E.C., Gross, T.G., Kollath, J., Nasrati, K., Jackson, J.D., Armitage, J.O., Kessinger, A., (1997)  
Hematopoietic recovery after allogeneic blood stem-cell transplantation compared with bone marrow transplantation in patients with hematologic malignancies  
J. Clin. Oncol. 15, 1608-1616
81. Pavletic, Z.S., Joshi, S.S., Pirruccello, S.J., Tarantolo, S.R., Kollath, J., Reed, E.C., Bierman, P.J., Vose, J.M., Warkentin, P.I., Gross, T.G., Nasrati, K., Armitage, J.O., Kessinger, A., Bishop, M.R., (1998)  
Lymphocyte reconstitution after allogeneic blood stem cell transplantation for hematologic malignancies  
Bone Marrow Transplant. 21, 33-41
82. Picker, L.J., Singh, M.K., Zdraveski, Z., Treer, J.R., Waldrop, S.L., Bergstresser, P.R., Maino, V.C., (1995)  
Direct demonstration of cytokine synthesis heterogeneity among human memory/effector T cells by flow cytometry  
Blood 86, 1408-1019
83. Pierrès, A., Lopez, M., Cerdan, C., Nunes, J., Olive, D., Mawas, C., (1988)  
Triggering CD28 molecules synergize with CD2 (T11.1 and T11.2)-mediated T cell activation  
Eur. J. Immunol. 18, 685-690
84. Powles, R., Mehta, J., Kulkarni, S., Treleaven, J., Millar, B., Marsden, J., Shepherd, V., Rowland, A., Sirohi, B., Tait, D., Horton, C., Long, S., Singhal, S., (2000)

Allogeneic blood and bone-marrow stem-cell transplantation in haematological malignant diseases: a randomised trial  
Lancet 355, 1231-1237

85. Prussin, C., Metcalfe, D.D., (1995)

Detection of intracytoplasmic cytokine using flow cytometry and directly conjugated anti-cytokine antibodies  
J. Immunol. Methods 188, 117-128

86. Przepiorka, D., Smith, T.L., Folloder, J., Khouri, I., Ueno, N.T., Mehre, R., Körbling, M., Huh, Y.O., Giral, S., Gajewski, J., Donato, M., Cleary, K., Claxton, D., Braunschweig, I., van Besien, K., Andersson, B.S., Anderlini, P., Champlin, R., (1999)  
Risk factors for acute graft-versus-host disease after allogeneic blood stem cell transplantation  
Blood 94, 1465-1470

87. Raffael, A., (1988)

Grundlagen der analytischen Durchflußzytometrie  
Labor-Medizin 11, 89-97

88. Reisner, Y., Martelli, M.F., (2000)

Transplantation tolerance induced by „mega dose“ CD34<sup>+</sup> cell transplants  
Exp Hematol 28, 119-127

89. Ringdén, O., Remberger, M., Runde, V., Bornhäuser, M., Blau, I.W., Basara, N., Hölig, K., Beelen, D.W., Hägglund, H., Basu, O., Ehninger, G., Fauser, A.A., (1999)  
Peripheral blood stem cell transplantation from unrelated donors: a comparison with marrow transplantation  
Blood 94, 455-464

90. Rondelli, D., Re, F., Bandini, G., Raspadori, D., Arpinati, M., Senese, B., Stanzani, M., Bonifazi, F., Falcioni, S., Chirumbolo, G., Tura, S., (2000)  
Different immune reconstitution in multiple myeloma, chronic myeloid leukemia and acute myeloid leukemia patients after allogeneic transplantation of peripheral blood stem cells  
Bone Marrow Transplant. 26, 1325-1331

91. Roux, E., Helg, C., Dumont-Girard, F., Chapuis, B., Jeannet, M., Roosnek, E., (1996)

Analysis of T-cell repopulation after allogeneic bone marrow transplantation: significant differences between recipients of T-cell depleted and unmanipulated grafts  
Blood 87, 3984-3992

92. Rufer, N., Helg, C., Chapuis, B., Roosnek, E., (2001)

Human memory T cells: lessons from stem cell transplantation  
Trends in Immunology 22, 136-141

93. Ruggeri, L., Capanni, M., Casucci, M., Volpi, I., Tosti, A., Perruccio, K., Urbani, E., Negrin, R.S., Martelli, M.F., Velardi A., (1999)  
Role of natural killer cell alloreactivity in HLA-mismatched hematopoietic stem cell transplantation  
Blood 94, 333-339
94. Ruggeri, L., Capanni, M., Urbani, E., Perruccio, K., Shlomchik, W.D., Tosti, A., Posati, S., Rogaia, D., Frassoni, F., Aversa, F., Martelli, M.F., Velardi, A., (2002)  
Effectiveness of donor natural killer cell alloreactivity in mismatched hematopoietic transplants  
Science 295, 2097-100
95. Salgame, P., Abrams, J.S., Clayberger, C., Goldstein, H., Convit, J., Modlin, r.L., Bloom, B.R., (1991)  
Differing lymphokine profiles of functional subsets of human CD4 and CD8 T cell clones  
Science 254, 279-282
96. Sallusto, F., Lenig, D., Förster, R., Lipp, M., Lanzavecchia, A., (1999)  
Two subsets of memory T lymphocytes with distinct homing potentials and effector functions  
Nature 401, 708-712
97. Sanders, M.E., Makgoba, M.W., Shaw, S., (1988)  
Human naive and memory T cells: reinterpretation of helper-inducer and suppressor-inducer subsets  
Immunology Today 9, 195-198
98. Schauer, U., Jung, T., Krug, N., Frew, A., (1996)  
Measurement of intracellular cytokines  
Immunol. Today 17, 305-306
99. Schlegel, P.G., Eyrich, M., Bader, P., Handgretinger, R., Lang, P., Niethammer, D., Klingebiel, T., (2000)  
OKT-3-based conditioning regimen for early graft failure in HLA-non-identical stem cell transplants  
Br. J. Haematol. 111, 668-673
100. Schlenke, P., Sheikhzadeh, S., Weber, K., Wagner, T., Kirchner, H., (2001)  
Immune reconstitution and production of intracellular cytokines in T lymphocyte populations following autologous peripheral blood stem cell transplantation  
Bone Marrow Transplantat. 28, 251-257
101. Sloand, E.M., Kim, S., Maciejewski, J.P., Van Rhee, F., Chaudhuri, A., Barrett, J., Young, N.S., (2000)



Pharmacologic doses of granulocyte colony-stimulating factor affect cytokine production by lymphocytes in vitro and in vivo  
Blood 95, 2269-2274

102. Small, T.N., Papadopoulos, E.B., Boulad, F., Black, P., Castro-Malaspina, H., Childs, B.H., Collins, N., Gillio, A., George, D., Jakubowski, A., Helleer, G., Fazzari, M., Kernan, N., MacKinnon, S., Szabolcs, P., Young, J.W., O'Reilly, R.J., (1999)  
Comparison of immune reconstitution after unrelated and related T-cell-depleted bone marrow transplantation: effect of patient age and donor leukocyte infusions  
Blood 93, 467-480

103. Solano, C., Martinez, C., Brunet, S., Tomás, J.F., Urbano-Ispizua, A., Zuazu, J., Ojeda, E., Bargay, J., Moraleda, J.M., Bailen, A., Siera, J., Garcia-Conde, J., Rozman, C., (1998)  
Chronic graft-versus-host disease after allogeneic peripheral blood progenitor cell or bone marrow transplantation from matched related donors. A case-control study  
Bone Marrow Transplant. 22, 1129-1135

104. Spits, H., Lanier, L.L., Phillips, J.H., (1995)  
Development of human T and natural killer cells (Review)  
Blood 85, 2654-2670

105. Storek, J., Dawson, M.A., Storer, B., Stevens-Ayers, T., Maloney, D.G., Marr, K.A., Witherspoon, R.P., Bensinger, W., Flowers, M.E.D., Martin, P., Storb, R., Appelbaum, F.R., Boeckh, M., (2001)  
Immune reconstitution after allogeneic marrow transplantation compared with blood stem cell transplantation  
Blood 97, 3380-3389

106. Storek, J., Gooley, T., Siadak, M., Bensinger, W.I., Maloney, G.G., Chauncey, T.R., Flowers, M., Sullivan, K.M., Witherspoon, R.P., Rowley, S.D., Hansen, J.A., Storb, R., Appelbaum, F.R., (1997)  
Allogeneic peripheral blood stem cell transplantation may be associated with a high risk of chronic graft-versus-host disease  
Blood 90, 4705-4709

107. Street, N., Mosmann, T.R., (1991)  
Functional diversity of T lymphocytes due to secretion of different cytokine patterns  
FASEB J. 5, 171-177

108. Swain, S.L., Croft, M., Dubey, C., Haynes, L., Rogers, P., Zhang, X., Bradley, L.M., (1996)  
From naive to memory T cells  
Immunol. Rev. 150, 143-167

109. Testi, R., Phillips, J.H., Lanier, L.L., (1989)  
Leu 23 induction as an early marker of functional CD3/T cell antigen receptor triggering  
J. Immunol. 142, 1854-1860
110. Testi, R., Phillips, J.H., Lanier, L.L., (1989)  
T cell activation via Leu-23 (CD69)  
J. Immunol. 143, 1123-1128
111. Trenchel, R., Bernier, M., Delforge, A., Massy, M., Lebeau de Hemricourt, E., Maerevoet, M., Badjou, R., Stryckmans, P., Bron, D., (1998)  
Myeloid and lymphoid recovery following allogeneic bone marrow transplantation: a comparative study between related, unrelated bone marrow and allogeneic peripheral stem cell transplantation  
Leukemia and Lymphoma 30, 325-352
112. Ueda, M., Harada, M., Shiobara, S., Nakao, S., Kondo, K., Odaka, K., Matsue, K., Mori, T., Hattori, K.-I., (1984)  
T-Lymphocyte reconstitution in long-term survivors after allogeneic and autologous marrow transplantation  
Transplantation 37, 552-556
113. Van Lier, R.A.W., Brouwer, M., Aarden, L.A., (1988)  
Signals involved in T cell activation. T cell proliferation induced through the synergistic action of anti-CD28 and anti-CD2 monoclonal antibodies  
Eur. J. Immunol. 18, 167-172
114. Vikingsson, A., Pederson, K., Muller, D., (1994)  
Enumeration of IFN- $\gamma$  producing lymphocytes by flow cytometry and correlation with quantitative measurement of IFN- $\gamma$   
J. Immunol. Methods 173, 219-228
115. Volpi, I., Perruccio, K., Tosti, A., Capanni, M., Ruggeri, L., Posati, S., Aversa, F., Tabilio, A., Romani, L., Martelli, M.F., Velardi, A., (2001)  
Postgrafting administration of granulocyte colony-stimulating factor impairs functional immune recovery in recipients of human leukocyte antigen haplotype-mismatched hematopoietic transplants  
Blood 97, 2514-2521
116. Zhang, X.-L., Komada, Y., Chipeta, J., Li, Q.-S., Inaba, H., Azuma, E., Yamamoto, H., Sakurai, M., (2000)  
Intracellular cytokine profile of T cells from children with acute lymphoblastic leukemia  
Cancer Immunol. Immunother. 49, 165-172